CONTENTS VOLUME 28, 1990

Sensitivity to remoulding of some volcanic ash soils in New Zealand
D. Jacquet (Lower Hutt, New Zealand) 1

Geotechncial study of the north and northwest coast of the Arabian Gulf
H.S. Saeedy and M.A. Mollah (Safat, Kuwait) 27

On the stability of seasonally sliding soil masses in the French Alps
Pieter M.B. van Genuchten and Jan D. Nieuwenhuis (Utrecht, The Netherlands) 41

Urban geology: case study of Kuala Lumpur, Malaysia
Tan Boon Kong and Ibrahim Komoo (Bangi, Malaysia) 71

Soil peculiarities of marshland reclaimed for a housing project: New Finima, Nigeria
Chukwunonye Ozioma Owuama (Port Harcourt, Nigeria) 95

Effect of different admixtures on the durability of sulphur concrete made with different aggregates
B. Czarnecki and J.E. Gillott (Calgary, Canada) 105

Landslide hazard zoning using the GIS approach — a case study from the Ramganga catchment, Himalayas
R.P. Gupta and B.C. Joshi (Roorkee, India) 119

The Turkwel hydropower project near the Kenyan Rift Valley (East Africa)
P. Antoine, A. Giraud (Grenoble, France), R. Huber, G. Lavedan and P.Y. Moullard (Echirolles, France) 133

Some factors affecting the liquefaction and flow of saturated sands in laboratory tests
C.C. Hird (Sheffield, Great Britain) and F.A.K. Hassona (Minia, Egypt) 149

Fracture field modelling according to various data structures
J.L. Blin-Lacroix and A. Thomas (Nancy, France) 171

Technical Notes

Geotechnical properties of calcrete soil (gatch) in Kuwait
J.S. Al-Sulaimi, M.A. Mollah and M.A. Matti (Safat, Kuwait) 191

Location of collapsing soils in the Tucson Basin
Ian W. Farmer (Tucson, Arizona, U.S.A.) and M. Eileen Glynn (Vicksburg, Mississippi, U.S.A.) 205

Fabric controls on bulk strength properties of some rhyolites
R.J. Stevenson and A.P.W. Hodder (Hamilton, New Zealand) 217

Announcements 227

Foreword 231

Longevity of bentonite as buffer material in a nuclear-waste repository
N. Güven (Lubbock, Tex., U.S.A.) 233

Aspects of the clay/electrolyte/water system with special reference to the geotechnical properties of clays
E.T. Stępkowska (Gdánsk–Oliwa, Poland) 249

Investigation of Kinnekulle K-bentonite aimed at assessing the long-term stability of bentonites under repository conditions
M. Müller-Vonmoos, G. Kahr, F. Bucher and F.T. Madsen (Zurich, Switzerland) 269

Swelling capacity and permeability of an unprocessed and a processed bentonitic clay
D.W. Oscarson, D.A. Dixon and M.N. Gray (Pinawa, Man., Canada) 281

Pilot field experiment with canister-embedding clay under simulated repository conditions
R. Atabek, A. Lajudie, J. Lechelle (Fontenay-aux-Roses, France) and R. Pusch (Lund, Sweden) 291

Electron microscopic examination of hydrothermally treated bentonite clay
R. Pusch (Lund, Sweden) and N. Güven (Lubbock, Tex., U.S.A.) 303

Coupled heat–mass transport effects on moisture redistribution prediction in clay barriers
R.N. Yong, A.-M.O. Mohamed and D.-M. Xu (Montreal, Que., Canada) 315

Heat-induced moisture movement within a clay-based sealing material
A.P.S. Selvadurai (Ottawa, Ont., Canada) 325

Experimental modelling of the near-field thermal regime in a nuclear-fuel waste disposal vault
H.S. Radhakrishna, K.C. Lau and A.M. Crawford (Toronto, Ont., Canada) 337
Simplified modelling of mass transport in a fissured rock–clay buffer system
A. Hautojärvi (Helsinki, Finland) 353
Diffusion of uranium in compacted sodium bentonite
A. Muurinen (Espoo, Finland) 359
A new interpretation of measured ionic diffusion coefficient in compacted bentonite-based materials
S.C.H. Cheung (Pinawa, Man., Canada) 369
Basic model of water- and gas-flow through smectite clay buffers
R. Pusch and H. Hökmark (Lund, Sweden) 379
High-pressure triaxial testing on the Canadian Reference Buffer Material
J. Graham, F. Saadat (Winnipeg, Man., Canada) and M.N. Gray (Pinawa, Man., Canada) 391
Mechanics of the interaction between a nuclear-waste disposal container and a buffer during discontinuous rock movement
A.P.S. Selvadurai and S. Pang (Ottawa, Ont., Canada) 405
Mechanical properties of dense Ca-smectite clay
L. Börgesson (Lund, Sweden), D. Brock and F. Plas (Fontenay-aux-Roses, France) 419
Rheological properties of Na-smectite gels used for rock sealing
L. Börgesson and A. Fredrikson (Lund, Sweden) 431
Characterization of a French clay barrier and outline of the experimental programme
Ph. Geneste, M. Raynal (Paris, France), R. Atabek, M. Dardaine and J. Oliver (Fontenay-aux-Roses, France) 443
Plutonium diffusivity in compacted bentonite
K. Idemitsu, K. Ishiguro, Y. Yusa, N. Sasaki and N. Tsunoda (Ibaraki-ken, Japan) 455